

REPLACED BY
ART 34 AMDT

17

CLAIMS

I claim:

- 5 1. A method for anesthetizing the bladder of a patient in need thereof, comprising the step of providing a sufficient quantity of a local anesthetic and an alkalinizing agent to the bladder of said patient to anesthetize the bladder, said local anesthetic being provided as an aqueous solution, said alkalinizing agent being provided in sufficient quantity to raise the pH of
10 the bladder to convert at least a portion of said local anesthetic to its base form.
- 15 2. The method of claim 1 wherein said local anesthetic and said alkalinizing agent are provided to said bladder separately.
- 20 3. The method of claim 1 wherein said providing step is performed by instillation of said alkalinizing agent and said local anesthetic into the bladder by means selected from the group consisting of a catheter placed into the bladder via the urethra of said patient, and percutaneously through the abdominal wall of said patient.
- 25 4. The method of claim 1 wherein said local anesthetic is selected from the group consisting of procaine, cocaine, chlorprocaine, tetracaine, mepivacaine, lidocaine, prilocaine, bupivacaine, etidiocaine, ropivacaine, and benzocaine.
5. The method of claim 1 wherein said alkalinizing agent is sodium bicarbonate.

6. The method of claim 1 wherein said local anesthetic is lidocaine and said alkalinizing agent is sodium bicarbonate.
7. The method of claim 1 wherein said alkalinizing agent provided in said
5 providing step raises said pH of said bladder to about 8.
8. The method of claim 1 wherein said local anesthetic is provided in a sufficient concentration reduce bacterial infectants in said bladder of said patient.
10
9. A pharmaceutical combination for anesthetizing a patient's bladder comprising:
a sufficient quantity of a local anesthetic to anesthetize said patient's bladder; and
15 a sufficient quantity of an alkalinizing agent to raise the pH of said patient's bladder to a level which causes the conversion of said local anesthetic to its base form.
10. The pharmaceutical combination of claim 9 wherein said local
20 anesthetic is selected from the group consisting of procaine, cocaine, chloroprocaine, tetracaine, mepivacaine, lidocaine, bupivacaine, etidocaine, ropivacaine, and benzocaine.
11. The pharmaceutical combination of claim 9 wherein said alkalinizing
25 agent is sodium bicarbonate.
12. The pharmaceutical combination of claim 9 wherein said local anesthetic is lidocaine and said alkalinizing agent is sodium bicarbonate.

13. The pharmaceutical combination of claim 9 wherein said local anesthetic and said alkalinizing agent are positioned in a single-use, disposable syringe which maintains said local anesthetic and said alkalinizing agent separate until instilled in the bladder.